

Cleco®

Industrial Air Impact Wrenches



TOUGH TOOLS. EASY CHOICE.

CWC

SERIES

THE ULTIMATE BALANCE OF PERFORMANCE, ERGONOMICS, AND DURABILITY.

CWC Series combines powerful performance, rock-solid durability, and user-preferred ergonomics into one comfortable and lightweight package. A reliable twin hammer mechanism and industrial grade bearings further ensure that the CWC Series delivers long-lasting productivity.

Impacting mechanism with advanced triple cycle heat treatment: ensures sustained high performance

Integrated raised bumper: protects your investment

High output Cleco motor: powerful, balanced, and easy to service

Available in regular and extended pin or ring anvil: tackles hard-to-reach applications with ease

Variable-speed trigger: precise control

Industrial-grade bearings: long-lasting power delivery

Silencer muffler: included with the tool for sound reduction

One-hand push button forward/reverse: superior ergonomics

Ergonomic comfort-grip handle: resistant to chemicals, temperatures, and dampens vibration



CWC-250QC
CWC-250R



CWC-375P
CWC-375R



CWC-375R-4



CWC-500P
CWC-500R



CWC-500PE
CWC-500RE



CWC-750P



Drive Size and Style	1/4" Pistol	3/8" Pistol	1/2" Pistol	1/2" Pistol	1/2" Pistol, Extended Anvil	3/4" Pistol
Max Applied Torque – ft-lb (Nm)	50 (68)	450 (610)	450 (610)	800 (1085)	800 (1085)	1400 (1898)
Max Breakaway Torque – ft-lb (Nm)	75 (102)	550 (746)	550 (746)	1180 (1600)	1180 (1600)	1800 (2440)
Free Speed – RPM	13,000	10,000	10,000	8,000	8,000	6,500
Length – in (mm)	6.0 (152)	6.0 (152)	6.0 (152)	7.3 (186)	9.6 (244)	8.4 (215)
Weight – lb (kg)	1.9 (0.9)	2.9 (1.3)	2.9 (1.3)	4.4 (2.0)	4.7 (2.1)	7.6 (3.5)
Warranty Period	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years
Impacting Sound Level* – dB(A)	87.4	90.2	90.2	87.2	87.2	90.4

*Sound level with muffler installed

Output Options: QC – 1/4" Quick Change | R – Retaining Ring | P – Pin Anvil or Pin Hole | RE – Extended Retaining Ring Anvil | PE – Extended Pin Anvil

CWM

S E R I E S

ENGINEERED FOR HEAVY-DUTY APPLICATIONS IN THE MOST DEMANDING ENVIRONMENTS.

The CWM Series is built to thrive in the face of adversity. It's been dragged by a hose, dropped from two stories, bashed on concrete, and left outside in extreme environments to make sure it performs whenever and wherever you need it to.



Drive Size and Style	3/8" Pistol	1/2" Pistol	3/4" Pistol
Max Applied Torque – ft-lb (Nm)	340 (450)	850 (1200)	1350 (1725)
Max Breakaway Torque – ft-lb (Nm)	450 (610)	1200 (1627)	1725 (2339)
Free Speed – RPM	12,000	9,000	6,000
Length – in (mm)	5.5 (140)	7.1 (180)	8.3 (210)
Weight – lb (kg)	3.3 (1.5)	5.8 (2.6)	10.4 (4.7)
Warranty Period	2 years	2 years	2 years
Impacting Sound Level – dB(A)	89.5	90.4	91.7

Output Options: R – Retaining Ring | P – Pin Anvil or Pin Hole

CV SERIES

HIGH TORQUE, LOW WEIGHT, UNBEATABLE VALUE.

The CV Series is a practical and rugged workhorse for general industrial production, repair, and maintenance. Lightweight, balanced, and comfortable, the CV Series deliver Cleco performance at an unbeatable value.



**CV-375R
CV-375P**

CV-375R-4

**CV-500R
CV-500P**

CV-750P

CV-750P-8

Drive Size and Style	3/8" Pistol	1/2" Pistol	1/2" Pistol	3/4" Pistol	1" Pistol
Max Applied Torque – ft-lb (Nm)	420 (569)	420 (569)	780 (1058)	1300 (1763)	1300 (1763)
Max Breakaway Torque – ft-lb (Nm)	510 (692)	510 (692)	1100 (1491)	1500 (2034)	1500 (2034)
Free Speed – RPM	8,000	8,000	8,500	5,500	5,500
Length – in (mm)	6.2 (157)	6.2 (157)	7.6 (193)	8.7 (221)	9.1 (231)
Weight – lb (kg)	2.9 (1.3)	2.9 (1.3)	4.8 (2.2)	8.2 (3.7)	8.3 (3.8)
Warranty Period	1 Year	1 Year	1 Year	1 Year	1 Year
Impacting Sound Level* – dB(A)	87.9	87.9	89.1	91.1	91.0

*Sound level with muffler installed

Output Options: R – Retaining Ring | P – Pin Anvil or Pin Hole

**WE CHALLENGE YOU TO FIND A
TOUGHER AIR IMPACT WRENCH**



TOUGH TOOLS. EASY CHOICE.

For over 120 Years, Cleco has exclusively supplied the global industrial market. Where other tools are born and bred for garages and tire shops, we make tools that are engineered and primed for the most grueling industrial environments. Where other tools weaken, seize, or become difficult to repair, our tools will endure and keep on tackling your toughest challenges. Count on Cleco Industrial Air Impact Wrenches for TOUGH TOOLS. EASY CHOICE.



CWC Series
Premium Composite



CWM Series
Premium Metal



CV Series
Value Composite

	CWC Series Premium Composite	CWM Series Premium Metal	CV Series Value Composite
Twin hammer impact mechanism	●	●	●
High-efficiency air motor	●	●	●
Variable speed trigger	●	●	●
One-hand push button forward/reverse	●		
Integrated protective bumper	●		
No-charge modular muffler system	●		●
Soft-grip handle		●	
Available in pin and ring anvil	●	●	●
Composite housing	●		●
All-metal housing		●	
Accessory tool hanger		●	
Available in extended anvil	●		
Warranty	2 year	2 year	1 year

Cleco[®] Assembly Tools



- DC Electrical Assembly Systems
- Intelligent Spindles
- Pulse Tools
- Assembly Screwdrivers & Nutrunners
- Impact Wrenches
- Fixtured Assembly Solutions
- Custom Assembly Solutions

Cleco[®] DOTCO[®] Material Removal Tools



- Angle Grinders
- Vertical Grinders
- Precision Grinders
- Die Grinders
- Industrial Drilling Solutions
- Aircraft Drills
- Percussion Tools
- Buffers, Polishers, and Sanders

APEX[®] Industrial Fastener Tools



- Industrial Grade Bits and Sockets
- Universal Joints
- Anti-Marring Protective Covers
- Impact Tool Sockets, Adapters, and Extensions
- Specialty Fastener Tools

For more information and the name of your nearest Cleco distributor or sales representative, call **+1 (800) 845 5629** or visit us at **ApexPowerTools.com**

North America

Apex Tool Group
670 Industrial Drive
Lexington, SC 29072
United States
Phone: +1 (800) 845 5629
Phone: +1 (919) 387 0099
Fax: +1 (803) 358 7681
www.apexpowertools.com

Apex Tool Group
Manufacturing México
S. de R.L. de C.V.
Vialidad El Pueblito #103
Parque Industrial Querétaro
Querétaro, QRO 76220
México
Tel: +52 (442) 211 3800
Fax: +52 (800) 685 5560

Europe | Middle East | Africa

Apex Tool Group GmbH
Industriestraße 1
73463 Westhausen
Germany
Phone: +49 (0) 73 63 81 0
Phone: +49 (0) 73 63 81 222

Apex Tool Group S.A.S.
25 rue Maurice Chevalier
B.P. 28
77831 Ozoir-la-Ferrière
Cedex, France
Tel: +33 1 64 43 22 00
Fax: +33 1 64 43 17 17

Apex Tool Group
Hungária Kft.
Platánfa u.2
9027 Győr
Hungary
Tel: +36 96 66 1383
Fax: +36 96 66 1135

Asia Pacific

Apex Power Tool Trading
(Shanghai) Co., Ltd
2nd Floor, Area C
177 Bi Bo Road
Pu Dong New Area, Shanghai
China 201203 P.R.C.
Phone: +86 21 60880320
Fax: +86 21 60880298

Apex Power Tools India
Private Limited
Gala No. 1, Plot No. 5
S. No. 234, 235 & 245
Indialand Global Industrial Park
Taluka-Mulsi, Phase I
Hinjawadi, Pune 411057
Maharashtra, India
Phone: +91 020 66761111

Latin America

Apex Tool Group
Ind. Com. Ferram. Ltda.
Av. Liberdade, 4055
Zona Industrial Iporanga
Sorocaba, São Paulo
CEP# 18087-170
Brazil
Tel: +55 15 3238 3870
Fax: +55 15 3238 3938

